

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 1	<b>Location:</b> All Districts	<b>Type:</b> Commercial Alarm
----------------	--------------------------------	-------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	The two closest staffed apparatus will respond and one POC apparatus							
<b>2nd Alarm</b>	If additional alarms are needed upgrade to the appropriate district's "assignment" teams box card.							
<b>3rd Alarm</b>								
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 2	<b>Location:</b> District 17/18	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (2)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (1) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	NOR (stand by)
<b>3rd Alarm</b>	NOR (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 3	<b>Location:</b> District 17/21	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	WHT (stand by)
<b>3rd Alarm</b>	WHT (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 4	<b>Location:</b> District 18/17	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	NOR (stand by)
<b>3rd Alarm</b>	NOR (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 5	<b>Location:</b> District 18/21	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	CLV (stand by)
<b>3rd Alarm</b>	CLV (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If staffed or not out of service

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 6	<b>Location:</b> District 19/18/22	<b>Type:</b> Residential or Commercial Assignment
----------------	------------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	WKE (stand by)
<b>3rd Alarm</b>	WKE (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 7	<b>Location:</b> District 21/17	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	CLV/WHT (stand by) #
<b>3rd Alarm</b>	CLV/WHT (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\*\* If not out of service (staffed)  
# CLV west of 19th and WHT 19th St. and East

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 8	<b>Location:</b> District 21/22	<b>Type:</b> Residential or Commercial Assignment
----------------	---------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	CLV (stand by)
<b>3rd Alarm</b>	CLV (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 9	<b>Location:</b> District 19/22/18	<b>Type:</b> Residential or Commercial Assignment
----------------	------------------------------------	---


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	WKE (stand by)
<b>3rd Alarm</b>	WKE (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)

# T.E.A.M.S

## Tiered Emergency Asset Management System

**Department:** West Des Moines      **Address:** 3421 Ashworth      **CAD GRID:**

**Box#:** 10      **Location:** District 22/21      **Type:** Residential or Commercial Assignment

	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (3)	WDM (1)			WDM (1)		DC on duty (1) WDM Chief Officer Page (notification)	Utility or Attack (2) * PIO Page to call IC
<b>2nd Alarm</b>	WDM (1)	WDM (1)	WDM Utility 218				WDM Chief Officer Page Requesting Help	WKE/CLV(standby) #
<b>3rd Alarm</b>	WKE/CLV (1)	WDM (1)						
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not out of service (staffed)  
# Waukee west of 74th and Clive east of 74th

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 11	<b>Location:</b> All Districts	<b>Type:</b> HazMat Assignment
-----------------	--------------------------------	--------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1)						DC (1)	
<b>2nd Alarm</b>			WDM Utility 218		WDM (1) for rehab		Chief Officer Page (notify)	DSM Haz Mat (1) # WDM PIO page (1)
<b>3rd Alarm</b>		WDM (1)					WDM Chief Officer Page (1)	DSM Haz Mat (1) *
<b>4th Alarm</b>	WDM (1)							
<b>5th Alarm</b>								
<b>Special</b>								

# notified to call Command

\* told to respond



# T.E.A.M.S

## Tiered Emergency Asset Management System

**Department:** West Des Moines      **Address:** 3421 Ashworth      **CAD GRID:**

**Box#:** 13      **Location:** All Districts      **Type:** Motor Vehicle Crash

	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Assignment</b>	One (1) apparatus from primary district and E180 or E220 for extrication				WDM (1)		DC on duty (1)	
<b>2nd Alarm</b>	WDM (1)*						Chief Officer Page (notify)	WDM PIO page (call IC)
<b>3rd Alarm</b>	WDM (1)		WDM Utility 218				WDM Chief Officer page for (2)	CLV on stnby for any additional WDM calls
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If Engine 180 or 220 is not on scene then they should be called here for their extrication equipment. Serious consideration should be given that if extrication is indicated that a second alarm be sounded to get E220 or E180 to the scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 14	<b>Location:</b> All Districts	<b>Type:</b> Rescue Assignment
-----------------	--------------------------------	--------------------------------

	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1) for water/confined space/trench	WDM (1) for rope rescue			WDM (1)		DC (1), Chief Officer Page (notify)	
<b>2nd Alarm</b>	Engine if there is not one on scene	Ladder if there is not one on scene			WDM (1) for rehab			WDM PIO page to call IC, #
<b>3rd Alarm</b>			WDM (1) Utility 218				Chief Officer page for (2)	DSM Fire District Chief to call command
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

**Note:** # command may want Central Iowa Water Rescue for water related calls, or West Metro Tech Rescue for others please ask















# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 22	<b>Location:</b> 17/18	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Norwalk North Warren Waukee			~Chief Officer Page (notify) ~Norwalk Chief Officer	
<b>2nd Alarm</b>				Van Meter Grimes Johnston				
<b>3rd Alarm</b>				Saylor Twp Martensdale Granger				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 23	<b>Location:</b> 17/21	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Johnston			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Van Meter				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 24	<b>Location:</b> 18/17	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Van Meter Norwalk			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				North Warren Grimes Johnston				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 25	<b>Location:</b> 18/21	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Johnston			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Van Meter				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 26	<b>Location:</b> 19/18/22	<b>Type:</b> Tanker/Tender Operations
-----------------	---------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Van Meter Grimes			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Johnston				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 27	<b>Location:</b> 21/17	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Johnston			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Van Meter				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 28	<b>Location:</b> 21/22	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Johnston			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Van Meter				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 29	<b>Location:</b> 19/22/18	<b>Type:</b> Tanker/Tender Operations
-----------------	---------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Van Meter			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Johnston				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

# T.E.A.M.S

## Tiered Emergency Asset Management System

<b>Department:</b> West Des Moines	<b>Address:</b> 3421 Ashworth	<b>CAD GRID:</b>
------------------------------------	-------------------------------	------------------

<b>Box#:</b> 30	<b>Location:</b> 22/21	<b>Type:</b> Tanker/Tender Operations
-----------------	------------------------	---------------------------------------


	Engine	Ladder	Rescue	Tanker	Medic	RIT	Chiefs	Special/COQ
<b>Initial</b>	WDM (1 for Fill Site)			WDM* Waukee Grimes Johnston			~Chief Officer Page (notify) ~Waukee Chief Officer	
<b>2nd Alarm</b>				Norwalk North Warren Van Meter				
<b>3rd Alarm</b>				Saylor Twp Granger Adel				
<b>4th Alarm</b>								
<b>5th Alarm</b>								
<b>Special</b>								

\* If not on scene

















